

# Wiegand Reader (EM+HID) PIX-PC SK4-R ID+HID

Metal Case, anti-vandal

\* Waterproof, conform to IP66

Card Type: 125KHz EM & HID Cards/Fobs

★ Wiegand Format: Wiegand 26 default (26~37 available upon request)

\* Keypad Transmission: 4 bits (8bits or virtual card number format are available upon request)

★ Working temperature: -40 oC ~ 60 oC (-40 oF ~ 140 oF)

\* Reading range: 4 ~ 8 cm







125KHz HID + EM

The PIX-PCSK4-R ID+HID is of digital backlit, supports to read 125KHz EM & HID cards. It is a metal case, Wiegand output keypad, with integrated proximity reader. Because of waterproof, it can be mounted either indoor or outdoor in harsh environments.

Metal Case, Anti-vandal







Keypad Transmission format: 4bits (8bits and 10bits virtual card number can be customized)

wiegand 26~37bits output (default: 26bits)







50cm cable (Standard)



RJ45 (Optional)




Terminal Blocks (Optional)

3 Kinds of Interface



Frequency	125KHz
Card Type	EM & HID Cards/Fobs
Read Range	4~8 cm
Standby Current	< 35mA
Operating Voltage	9~18V DC
Wiegand Output Format	Wiegand 26 bits (factory default) 26~37 bits available upon request
Keypad Transmission Format	4 bits (factory default) 8 bits or virtual card number format are available upon request
Operating Temperature	-40 °C ~ 60 °C
Operating Humidity	0% RH ~ 96% RH
Index of Protection	IP66
Dimension	13.0L x 5.6W x 2.3H (cm)
Net Weight	500g
Shipment Weight	650g

## **Product Size**









Analog Camera, IP Camera Dome & Bullet Cameras Hidden Cameras 4K Cameras



Panoramic Camera 4K Action Camera | Car Cameras Battery Cameras WiFi Door Bells



Fingerprint | Face | Card | Access PIN Reader Electromagnetic Lock Exit Button | Break Glass Video Door Intercom



#### PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023