

PIXELS CONNECT PTE LTD

No Touch Exit Button PIX-PCEbutton 1

- 😤 Embedded design with mini size
- * Metal case and waterproof, conform to IP66
- 🖄 User capacity: 100 fingerprints and 3000 cards
- 😤 Card type: 125KHz EM card
- 🖄 One programmable relay operation
- 🖄 Latch mode to hold door or gate open
- 😤 Tri-colour LED status display

The device is infrared no touch button, with adjustable sensor distance 3~15cm, with timer delay (Optional).



Sensor distance: 3~15cm(Adjustable)

IP66 Waterproof (Optional)





PIXELS CONNECT PTE LTD



5s,10s or Toggle Mode (Optional Function)



Metal case, Anti-vandal

Operating Voltage Idle Current Working Current	10~24V DC ≤15mA ≤25mA
Current Rating	2A
Sensor Distance	3~15cm (Adjustable)
Output	NC or NO
Infrared Wavelength	940 nm
Timer Delay (Optional)	5s / 10s / Toggle Mode
Environment Operating Temperature Operating Humidity	IP66 Waterproof or not (Optional) -20°C~+60°C 0%~86%

PIX-PCEBUTTON 1 (NO TOUCH EXIT BUTTON)


PIXELS CONNECT PTE. LTD.



PIXELS CONNECT PTE LTD

Physical	Stainless Steel
Dimension	L115* W40 * H25 (mm)
Unit Weight	95g
Shipping Weight	120g

Product Size





1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com|www.pixelsconnect.com.sg|Tel:+65 6440 0023

PIXELS