

Easy Keypad PIX-PCK4

* Metal case, backlit keypad

* One relay, 1000 users (990 Normal Users + 10 Visitor Users)

* 3 access modes: Card, PIN, Card + PIN

* Card type: 125KHz EM card







The PIX-PCK4 is a single entry standalone Access Control with integrated keypad and card reader. It is an easy to install and operate device, design in as less as 6 wires for mounting.



Have visitors?

No worry, use our K4
It supports 10 visitor PINs
Can set valid for 1~10 times



6 wires only, Easy to install and operate





-40°C, Low temperature for harsh environment










SSR-Solid State Relay (Optional)

User Capacity	1000 Cards/PINS (990 Normal Users + 10 Visitor Users)
Operating Voltage	9~18V DC
Idle Current	50mA
Active Current	80mA
Keypad	12 Key (2*6)
Proximity Card Reader	EM
Radio Technology	125 KHz Industry Standard Proximity Card
Read Range	2-6 cm
Wiring Connections	Relay Output, Exit Button
Relay	One (NO, NC, Common)
Adjustable Relay Output Time	0-99 Seconds (5 seconds default)
Lock Output Load	3 Amp Maximum
Environment	Indoor
Operating Temperature	-30°C~ 60°C (-40°F ~ 140°F)
Operating Humidity	20%RH-85%RH
Physical	Zinc-Alloy Enclosure
Surface Finish	Powder Coat
Dimensions	13.0L x 5.6W x 2.3H (cm)
Unit Weight	500g
<u> </u>	
Shipping Weight	650g



Product Size







Analog Camera, IP Camera Dome & Bullet Cameras Hidden Cameras 4K Cameras PTZ Cameras



Panoramic Camera 4K Action Camera | Car Camera Battery Cameras WiFi Door Bells Hidden Cameras



Fingerprint | Face | Card | Access PIN Reader Electromagnetic Lock Exit Button | Break Glass Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023