




PIXELS CONNECT PTE LTD

Wiegand Reader (EM/HID/AWID)

PIX-PCS10

- * Waterproof, conforms to IP66
- * Wiegand 26 bits output
- * Card type: EM / HID / AWID card
- * Frequency: 125KHz
- * Working temperature: -40°C ~ 60°C (-40°F ~ 140°F)
- * Reading range: 3~7 cm



The PIX-PCS10 is a multi-format proximity card reader compatible with many of the most popular card formats used in the access control industry, for example, EM cards, HID cards, AWID cards. It is fully potted, and can function at extreme temperatures, so it can be mounted either indoor or outdoor.

Read 125KHz EM,
HID and AWID Cards






PIXELS CONNECT PTE LTD



Waterproof, conforms to IP66

-40°C Low Working Temperature



Data 0

Data 1





Wiegand 26bits



PIXELS CONNECT PTE LTD

Operating Voltage	9~18V DC
Frequency	125KHz
Card Type	EM / HID / AWID card
Reading Distance	3~7 CM
Output Format	Wiegand 26 bits
Operating Temperature	-40°C ~ 60°C (-40°F ~ 140°F)
Standby Current	< 25mA
Operating Humidity	10%~95% RH
Index of Protection	IP66
Dimensions	L120 x W50 x H20 (mm)

Product Size



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



Wireless Cameras

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



Biometric Devices

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023