Metal Wiegand Reader (EM)
PIX-PCS5-R EM

* ❄ Metal Case, anti-vandal
* ❄ Waterproof, conforms to IP66
* ❄ Wiegand 26~37 bits output (default: 26bits)
* ❄ Card type: EM card
* ❄ Reading range: 3~8cm
* ❄ External LED Control & External Buzzer Control

Wiegand 26~37 output   Anti-Vandal   IP66 Protection Rating

The PIX-PC S5-R (EM) reader is a metal case anti-vandal proximity reader. Because of waterproof, it can be mounted either indoor or outdoor in harsh environments.

IP66 Waterproof

Wiegand 26~37bits(default 26bits)

Data 0
Data 1

Metal Case, Anti-vandal

3 Kinds of Interface

50cm cable
(Standard)

RJ45
(optional)

Terminal Blocks
(Optional)

Operating Voltage	9~24V DC
Frequency	125KHz
Card Type	EM Card
Reading Distance	3~8 CM
Output Format	Wiegand 26 bits
	(26~37 bits available upon request)
Operating Temperature	-40 oC ~ 60 oC (-40 oF ~ 140 oF)
Standby Current	< 25mA
Operating Humidity	10%~98% RH
Index of Protection	IP66
Dimensions	L103 x W48 x H19 (mm)

Product Size

103mm

48mm

20mm

PIXELS CONNECT PTE LTD

CCTV
Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras

Wireless Cameras
Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras

Biometric Devices
Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom

PIXELS CONNECT PTE LTD
1013, Geylang East Ave 3, #01-144 Singapore 389728
pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023