



PIXELS CONNECT PTE LTD

Metal Wiegand Reader (Mifare)
PIX-PCS5-R MF

- ❄ Metal Case, anti-vandal
- ❄ Waterproof, conforms to IP66
- ❄ Wiegand 26~37 bits output (default: 34bits)
- ❄ Card type: Mifare card
- ❄ Reading range: 3~8cm
- ❄ External LED Control & External Buzzer Control



The PIX-PCS5-R(MF) reader is a metal case anti-vandal proximity reader.

Because of waterproof, it can be mounted either indoor or outdoor in harsh environments.



IP66 Waterproof



PIXELS CONNECT PTE LTD

Wiegand 26~37bits(default 26bits)

Data 0
Data 1



Metal Case, Anti-vandal



50cm cable
(Standard)



RJ45
(optional)



Terminal Blocks
(Optional)



3 Kinds of Interface



PIXELS CONNECT PTE LTD

Operating Voltage	9~24V DC
Frequency	13.56MHz
Card Type	13.56MHz - Mifare Card (ISO 14443A Compatible)
Reading Distance	3~8 CM
Output Format	Wiegand 34 bits (26~37 bits available upon request)
Operating Temperature	-40 oC ~ 60 oC (-40 oF ~ 140 oF)
Standby Current	< 25mA
Operating Humidity	10%~98% RH
Index of Protection	IP66
Dimensions	L103L x W48W x H19 (mm)

Product Size



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



Wireless Cameras

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



Biometric Devices

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023