



PIXELS CONNECT PTE LTD

**Metal RFID (E/H/Mifare)
PIX-PCS5-RX**

- * Metal Case, anti-vandal
- * Waterproof, conforms to IP66
- * Wiegand 26~37 bits output (default: 26bits)
- * Card type: Hid card, EM card & Mifare card
- * Reading range: 3~8cm
- * External LED Control & External Buzzer Control



The PIX-PCS5-RX reader is an advanced 125KHz & 13.56MHz technology proximity reader. Because of metal case anti-vandal and waterproof, it can be mounted either indoor or outdoor in harsh environment.



IP66 Waterproof



PIXELS CONNECT PTE LTD

Wiegand 26~37bits(default 26bits)

Data 0
Data 1




Metal Case, Anti-vandal

Card Type: EM+HID+Mifare





PIXELS CONNECT PTE LTD





Operating Voltage	9~24V DC
Frequency	125KHz & 13.56MHz
Card Type	125KHz - EM & Hid Card 13.56MHz - Mifare Card (ISO 14443A Compatible)
Reading Distance	3~8 CM
Output Format	Wiegand 26 bits (26~37 bits available upon request)
Operating Temperature	-40 °C ~ 60 °C (-40 °F ~ 140 °F)



PIXELS CONNECT PTE LTD

Product Size



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



Wireless Cameras

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



Biometric Devices

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023