



PIXELS CONNECT PTE LTD

Metal Wiegand Reader (Mifare)

PIX-PCS9-R MF

- * Metal Case, anti-vandal
- * Waterproof, conforms to IP66
- * Wiegand 34/58 bits output (32/56bits optional)
- * Card type: Mifare card (4 bytes or 7 bytes)
- * Reading range: 3~8cm
- * External LED Control & External Buzzer Control



3 in 1 Powerful Reader



UID 7byte / 4byte



Protection Rating

The PIX-PCS9-RX reader is an advanced 125KHz & 13.56MHz technology proximity reader. Because of metal case anti-vandal and waterproof, it can be mounted either indoor or outdoor in harsh environment.

4 bytes or 7 bytes
Recognize Card Format
Automatically





PIXELS CONNECT PTE LTD



Waterproof, conforms to IP66

Metal, anti-vandal



50cm cable
(Standard)



RJ45
(optional)



Terminal Blocks
(Optional)

3 Kinds of Interface



PIXELS CONNECT PTE LTD

Data 0



EM: 26 bits

Mifare: wiegand 34 bits (4 bytes card format) or 58 bits (7 bytes card format)

HID: Automatically Recognize

Data 1

| | |
|-----------------------|--|
| Operating Voltage | 9~24V DC |
| Frequency | 13.56MHz |
| Card Type | 13.56MHz - Mifare Card (ISO 14443A Compatible) 4 bytes or 7 bytes |
| Reading Distance | 3~8 CM |
| Output Format | Wiegand 34/58 bits (32/56 bits available upon request) |
| Operating Temperature | -40°C ~ 60°C (-40°F ~ 140°F) |
| Standby Current | < 25mA |
| Operating Humidity | 10%~98% RH |
| Index of Protection | IP66 |
| Dimensions | L105 x W50W x H20 (mm) |



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



Wireless Cameras

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



Biometric Devices

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023