

# Wiegand Reader (EM) PIX-PCSK4-R EM

- \* Metal Case, anti-vandal
- \* Waterproof, conform to IP66
- \* Card Type: 125KHz EM Cards/Fobs
- ★ Wiegand Format: Wiegand 26 default (26~37 available upon request)
- \* Keypad Transmission: 4 bits (8bits or virtual card number format are available upon request)
- ★ Working temperature: -40 oC ~ 60 oC (-40 oF ~ 140 oF)
- \* Reading range: 4 ~ 8 cm







The PIX-PCSK4-R EM is of digital backlit, supports to read 125KHz EM cards. It is a metal case, Wiegand output keypad, with integrated proximity reader. Because of waterproof, it can be mounted either indoor or outdoor in harsh environments.

Metal Case, Anti-vandal







Keypad Transmission format: 4bits (8bits and 10bits virtual card number can be customized)

wiegand 26~37bits output (default: 26bits)







50cm cable (Standard)



RJ45 (Optional)




Terminal Blocks (Optional)

3 Kinds of Interface



125KHz
EM Cards/Fobs
4~8 cm
<35mA
9~18V DC
Wiegand 26 bits (factory default) 26~37 bits available upon request
4 bits (factory default) 8 bits or virtual card number format are available upon request
-40 °C ~ 60 °C
0% RH ~ 96% RH
IP66
13.0L x 5.6W x 2.3H (cm)
500g
650g

# **Product Size**









Analog Camera, IP Camera Dome & Bullet Cameras Hidden Cameras 4K Cameras



Panoramic Camera 4K Action Camera | Car Cameras Battery Cameras WiFi Door Bells



Fingerprint | Face | Card | Access PIN Reader Electromagnetic Lock Exit Button | Break Glass Video Door Intercom



# PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023