




PIXELS CONNECT PTE LTD

**Universal Keypad (EM+HID+MF)**  
**PIX-PCSK6-X**

- \* Waterproof, conforms to IP66
- \* One relay, 600 users
- \* Card type: 125KHz EM card, 125KHz HID card, and 13.56Mhz Mifare Card
- \* PIN length: 4~6 digits
- \* Wiegand 26~37 bits input & output
- \* Can be used as Wiegand reader with LED & Buzzer output
- \* Pulse mode, Toggle mode
- \* 2 devices can be interlocked for 2 doors
- \* 12~28V AC/ DC




The PIX-PCSK6-X is a universal keypad, can work as standalone keypad, access controller or standard Wiegand output reader.





PIXELS CONNECT PTE LTD

Three working modes-Wiegand  
26~37 bits input & output



Wide Voltage Range:

**12 ~ 28**  
VOLTS VOLTS





PIXELS CONNECT PTE LTD

<b>User Capacity</b> Common Users Panic Users	<b>600</b> 598 2
<b>Operating Voltage</b> Idle Current Active Current	<b>12~28V AC/DC</b> < 65mA < 100MA
<b>Proximity Card Reader</b> Radio Technology Read Range	<b>HID &amp; EM &amp; Mifare</b> 125KHz & 13.56Mhz 2~6 cm
<b>Wiring Connections</b>	Relay output, exit button, alarm, door contact, Wiegand input, Wiegand output
<b>Relay</b> Adjustable Relay Output Time Lock Output Load	<b>One (NO, NC, Common)</b> 0~99 Seconds (5 seconds default) 2 Amp Maximum
<b>Wiegand Interface</b> Wiegand Input Wiegand Output PIN Output	<b>Wiegand 26~37bits</b> 26~37bits 26~37bits 4 bits, 8 bits(ASCII), 10 digits Virtual Number
<b>Environment</b> Operating Temperature Operating Humidity	<b>Meets IP66</b> -40 °C ~ 60 °C (-40 °F ~ 140 °F) 0%RH ~ 98%RH
<b>Physical</b> Surface Finish Dimensions Unit Weight Shipping Weight	<b>Zinc-Alloy Enclosure</b> Powder Coat L150xW51xH23mm 500g 600g



PIXELS CONNECT PTE LTD

## Product Size



**CCTV**

Analog Camera, IP Camera  
Dome & Bullet Cameras  
Hidden Cameras  
4K Cameras  
PTZ Cameras



**Wireless  
Cameras**

Panoramic Camera  
4K Action Camera | Car Cameras  
Battery Cameras  
WiFi Door Bells  
Hidden Cameras



**Biometric  
Devices**

Fingerprint | Face | Card |  
Access PIN Reader  
Electromagnetic Lock  
Exit Button | Break Glass  
Video Door Intercom



## PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023