



PIXELS CONNECT PTE LTD

## Long Range UHF Reader PIX-PCSUHF-2

- ❄️ Waterproof, IP65
- ❄️ Free demo and SDK
- ❄️ Stable reading distance: 12~15m
- ❄️ Frequency: 902~928MHz or customize other frequency

The PIX-PCSUHF-2 is a Long reading range, waterproof access control Reader.  
Stable range is 12-15m, max reach 25m.



Used for Parking Control,  
Logistics, Warehouse,  
Manufacturing management, etc.

Stable reading distance: 12~15m





## PIXELS CONNECT PTE LTD



Waterproof, Working temperature: -40°C ~ +65°C



Support Protocol: ISO18000-6B  
or ISO18000-6C(EPC GEN2)  
communication interface: RS485,  
RS232,Wiegand26,Wiegand34,RJ45



Working Frequency	Nationalstandard(920~925MHz), America standard (902~928MHz),or customize other frequency
Reading Distance	Stable is 12M. Maximal is 30M
Recognition Speed	>120km/h
Support protocol	ISO-18000-6B or ISO-18000-6C(EPC G2)
Antenna Gain	12dbi
Polarization	Horizontal polarization
Voltage	12VDC ± 10%
Current	<400mA




## PIXELS CONNECT PTE LTD

Power consumption	<5W
Communications interface	Wiegand26bit,34bit,42bit, RS232,RS485,10/100M Ethernet
Operating Temperature	-40 °C ~ +65 °C
Storage temperature	-60 °C ~ +85 °C
Operating humidity	10% ~ 90% RH
Weight	6 Kg
Product size	445x445x40mm
Working Frequency	Nationalstandard(920~925MHz), America standard (902~928MHz),or customize other frequency
Reading Distance	Stable is 12M. Maximal is 30M
Recognition Speed	>120km/h
Support protocol	ISO-18000-6B or ISO-18000-6C(EPC G2)
Antenna Gain	12dbi
Polarization	Horizontal polarization
Voltage	12VDC ± 10%
Current	<400mA
Power consumption	<5W
Communications interface	Wiegand26bit,34bit,42bit, RS232,RS485,10/100M Ethernet
Operating Temperature	-40 °C ~ +65 °C
Storage temperature	-60 °C ~ +85 °C
Operating humidity	10% ~ 90% RH
Weight	6 Kg
Product size	445x445x40mm



## PIXELS CONNECT PTE LTD

### Product Size



#### CCTV

Analog Camera, IP Camera  
Dome & Bullet Cameras  
Hidden Cameras  
4K Cameras  
PTZ Cameras



#### Wireless Cameras

Panoramic Camera  
4K Action Camera | Car Cameras  
Battery Cameras  
WiFi Door Bells  
Hidden Cameras



#### Biometric Devices

Fingerprint | Face | Card |  
Access PIN Reader  
Electromagnetic Lock  
Exit Button | Break Glass  
Video Door Intercom



## PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023