



PIXELS CONNECT PTE LTD

Wireless Reader PIX-PCWR1-MF

- * 433MHz Rolling Code technology
- * Card type: 13.56MHz Mifare card
- * Programmable Wiegand output of the Receiver: 26 bits or 34 bits
- * Communication distance: 30m maximum
- * Ultra low power consumption
- * Waterproof, conforms to IP65



Wireless




Battery Powered



30m Max


The PIX-PCWR1-MF includes the Wireless Reader and Receiver, it's 433MHz Rolling code communication between the reader and receiver, and the receiver can be connected to any 3rd party Wiegand controller.-



Can work with any wiegand controller



PIXELS CONNECT PTE LTD



Battery powered, no need wires any more!



Fast installation within 2 minutes





PIXELS CONNECT PTE LTD



Wireless Reader	Card Type	13.56MHz Mifare card
	Operating Voltage	3 units of AAA batteries
	Idle Current	≤5uA
	Working Current	≤35mA
	Reading Distance	≤3cm
	Communication Frequency	433MHz
	Communication Distance	30m Maximum
	Operating Temperature	-20°C~+60°C (-4°F~+140°F)
	Operating Humidity	0%~86%
	Index of Protection	IP65
	Color	Black, White optional
	Dimensions	L120 * W50 * H20 (mm)
Net Weight	88g	
Receiver	Operating Voltage	12V DC
	Working Current	≤15mA
	Communication Frequency	433MHz
	Wiegand Output Format	26 bits Or 34 bits (Default is 26 bits)
	Operating Temperature	-20°C~+60°C (-4°F~+140°F)



PIXELS CONNECT PTE LTD

Operating Humidity	0%~86%
Dimensions	L25 * W50 (mm)
Net Weight	10g

Product Size



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



Wireless Cameras

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



Biometric Devices

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023