

# Outdoor Metal Digital Keypad PIX-PCXK1

- \* One relay, 1000 users
- User data can be transferred by Wiegand line
- Access modes: Card, PIN, Card + PIN, Multi Cards/PINs
- 🍲 Card type: XK1-EM: 125KHz EM card/ XK1-H&E: 125KHz EM & HID card
- PIN length: 4~6 digits
- Pulse mode, toggle mode
- 2pcs device support interlock for two doors







The PIX-PCXK1 is a new generation keypad access control, the key is all metal and the key frame is hidden. It with Wiegand input & output, which make this unit can be operated as an outdoor backlit keypad reader, or it can convert to a fully-featured standalone controller, or standalone keypad


All key is metal, with hidden key frame







Convertible working modes, more possibilities.








Wide Voltage Range:

12 ~ 28 VOLTS



User Capacity	1000
Common User	998
Panic User	2
Operating Voltage	12~28V AC/DC
Idle Current	< 35mA
Proximity Card Reader	EM
Radio Technology	125KHz Proximity Card
Read Range	2~6 cm
Wiring Connections	Relay output, exit button, alarm, door contact, Wiegand input, Wiegand output
Relay Adjustable Relay Output Time Lock Output Load	One (NO, NC, Common) 0~99 Seconds (5 seconds default) 2 Amp Maximum
Wiegand Interface	Wiegand 26~37bits
Wiegand Input	26~37bits
Wiegand Output	26~37bits
PIN Output	4 bits, 8 bits(ASCII), 10 digits Virtual Number
Environment Operating Temperature Operating Humidity	Meets IP66 -40 °C ~ 60 °C (-40 °F ~ 140 °F) 0%RH ~ 98%RH
Physical Color Dimensions Unit Weight Shipping Weight	Zinc-Alloy Silver 11.5L x 7.5W x 2.2H (cm) 360g 440g

## **Product Size**









Analog Camera, IP Camera Dome & Bullet Cameras Hidden Cameras 4K Cameras



Panoramic Camera 4K Action Camera | Car Cameras Battery Cameras WiFi Door Bells



Fingerprint | Face | Card | Access PIN Reader Electromagnetic Lock Exit Button | Break Glass



#### PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023