

Outdoor Dual-relay Digital Keypad PIX-PCXK3-D

- 😤 Waterproof, conforms to IP66
- 😤 Metal case, anti-vandal
- 😤 Fashion design, all-metal key button
- 🖄 Two relays, 999 users
- PIN length: 1~8 digits
- 😤 Card type: 125KHz EM card / tag
- 🖄 Multi-color LED status display
- Integrated alarm & buzzer output, can set the volume sound from level 0~5
- Pulse mode, Toggle mode
- * Built in light dependent resistor (LDR) for anti tamper
- * Backlit keypad, can set always ON, always OFF, or turn off automatically after 60 seconds
- * Relay 2 supports external door bell
- ☆ Low temperature resistance(-40°C)
- 飬 Voltage: 12~28V AC/DC



The PIX-PCXK3-D is a dual-entry access control with integrated keypad and card reader. It supports up to 999 users in multiple access configurations (Card, PIN, or Card +PIN). Its key is all metal and the key frame is hidden.





Keypad Backlit and LED can be set

- Always ON
- Always OFF
- Automatically OFF after 60 seconds





IP66 Waterproof


Can set the buzzer volume sound from level 0~5





User Capacity	999
Operating Voltage	12~28V AC/DC
Idle Current	<50mA
Proximity Card Reader	EM
Radio Technology	125KHz
Read Range	2~6 cm
PIN Length	1~8 digits
Wiring Connections	Relay Output, Exit Button, Alarm, Door Contact, Doorbell
Relay	Two (NO, NC, Common)
Adjustable Relay Output Time	0~300 Seconds (5 seconds default)
Lock Output Load	2 Amp Maximum
Environment	Meets IP66
Operating Temperature	-40°C ~ 60°C (-40°F ~ 140°F)
Operating Humidity	0%RH~98%RH
Physical	Zinc-Alloy
Color	Silver
Dimensions	L114.5 x W75 x D22mm
Unit Weight	360g
Shipping Weight	440g

Product Size









Analog Camera, IP Camera Dome & Bullet Cameras Hidden Cameras 4K Cameras PTZ Cameras





Fingerprint | Face | Card | Access PIN Reader Electromagnetic Lock Exit Button | Break Glass Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023