



PIXELS CONNECT PTE LTD

Exit Button
PIX-PCXbutton 3

- * Aluminum
- * Output contact: NO/NC/COM
- * Dimension: 5.0W x 8.6H x 2.5D (cm)





PIXELS CONNECT PTE LTD

—
Luminum alloy
Dull polish finished




—
Screw terminal

Product Parameter	Parameter Description
Dimensions	5.0W x 8.6H x 2.5D (cm)
Standard Structure	Aluminum panel, steel button
Current Rating	3A@36VDC Max
Output Contact	NO/NC/COM
Mechanical Life	500000 tested
Suitable for Door	Hollow Door



PIXELS CONNECT PTE LTD

Operating Temperature	-10 °C ~ 55 °C (14 °F ~ 131 °F)
Operating Humidity	0% ~ 95% (non- condensing)
Panel Material	Aluminum panel, sandblast finished
Weight	0.25kg



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



Wireless Cameras

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



Biometric Devices

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023