PIXELS CONNECT PTE LTD

Easy Keypad
PIX-PCK10

❋ Metal case, backlit keypad
❋ Waterproof,conforms to IP66
❋ One relay, 1000 users (990 Normal Users + 10 Visitor Users)
❋ 3 access modes: Card, PIN, Card + PIN
❋ Card type: 125KHz EM card
❋ PIN length: 4~6 digits
❋ Anti-tamper alarm
❋ With Doorbell for visitors
❋ Remote Control for optional

| +60℃ -40℃ Temperature Range | Card/PIN | Door bell | Remote Control | Anti-vandal |

The PIX-PCK10 is a single entry standalone Access Control with integrated keypad and card reader. It is an easy to install and operate device, with doorbell and support remote control for open the door.

1 Relay,1000 Users
(990 normal users +
10 visitor users)

With 2pcs Remote Control
for optional

Backlit Keypad
Multi-color LED status display
Doorbell for the visitors

Waterproof,conforms to IP66

IP66

Anti-Tamper Alarm

User Capacity	1000 Cards/PINS (990 Normal Users + 10 Visitor Users)
Operating Voltage Idle Current Active Current	**9~18V DC** 50mA 80mA
Keypad	**12 Key (2*6)**
Proximity Card Reader Radio Technology Read Range	**EM** 125 KHz Industry Standard Proximity Card 2-6 cm
Wiring Connections	Relay Output, Exit Button
Relay Adjustable Relay Output Time Lock Output Load	**One (NO, NC, Common)** 0-99 Seconds (5 seconds default) 3 Amp Maximum
Environment Operating Temperature Operating Humidity	**Outdoor** -40°C~ 60°C (-40°F ~ 140°F) 10%RH-90%RH Non-Condensing
Physical Surface Finish Dimensions Unit Weight Shipping Weight	**Zinc-Alloy Enclosure** Powder Coat 13.6L x 5.6W x 2.5H (cm) 490g 550g

Product Size

136mm

25mm

56mm