



PIXELS CONNECT PTE LTD

Outdoor Easy Keypad PIX-PCK4-MF

- * Vandal Resistant Enclosure
- * Waterproof, conform to IP66
- * Backlit Keypad
- * One programmable relay operation
- * Pulse mode, Latch mode
- * 1000 users(Card/PIN/Card+PIN)
- * Read 13.56MHz Mifare card (ISO14443 Type A)
- * Tri-colour LED status display
- * Built in light dependent resistor (LDR) for anti tamper
- * Low temperature resistance(-40°C)
- * Card block enrolment



The PIX-PCK4-MF is a standalone easy keypad and Mifare reader in one unit, meets the standard of ISO 14443-A and the card reading frequency is 13.56MHz.





PIXELS CONNECT PTE LTD

IP66 Waterproof



Read 13.56MHz Mifare Card

Low Working Temperature:-40°C







PIXELS CONNECT PTE LTD

User Capacity Card PIN	1000 13.56MHz Mifare card 4-6 digits
Operating Voltage Idle Current Working Current	9-18V DC ≤50mA ≤80mA
Proximity Card Reader Radio Technology Read Range	Mifare card (ISO14443 Type A) 13.56MHz Proximity Card/Tag ≥3CM
Wiring Connections	Relay output, exit button
Relay Adjustable Relay Output Time Lock Output Load	One (NO, NC, Common) 1-99 Seconds (5 seconds default) 3 Amp Maximum
Environment Operating Temperature Operating Humidity	Meets IP66 -40 °C ~ 60 °C (-40 °F ~ 140 °F) 20% RH ~ 98% RH
Physical Surface Finish Dimensions Unit Weight Shipping Weight	Zinc-Alloy Enclosure Powder Coat 13.0L x 5.6W x 2.3H (cm) 500g 650g



PIXELS CONNECT PTE LTD

Product Size



CCTV

Analog Camera, IP Camera
Dome & Bullet Cameras
Hidden Cameras
4K Cameras
PTZ Cameras



**Wireless
Cameras**

Panoramic Camera
4K Action Camera | Car Cameras
Battery Cameras
WiFi Door Bells
Hidden Cameras



**Biometric
Devices**

Fingerprint | Face | Card |
Access PIN Reader
Electromagnetic Lock
Exit Button | Break Glass
Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728

pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023