

IK10 Metal Wiegand Reader (E/H/MF) PIX-PCX1-RX

- * IK10 anti collision
- * Metal Case, anti-vandal
- Waterproof, conforms to IP66
- Wiegand 26~44, 56, 58 bits output
- 😤 Card Type: 125KHz Hid & EM cards, 13.56MHz NXP Mifare, Mifare Plus, DesFire, Mifare Pro, Mifare UltraLight, Mifare Class 4K cards
- * Reading range: 2~6cm
- External LED Control & External Buzzer Control









The PIX-PC X1RX is an IK10 certified reader, it is powerful in card reading type, can read 125KHz Hid & EM cards, 13.56MHz Mifare cards at the same time. Because of metal case anti-vandal and waterproof, it can be mounted either indoor or outdoor in harsh environment.



Card Type 125KHz HID & EM cards, 13.56MHz NXP Mifare, Mifare Plus, DesFire, Mifare Pro, Mifare UltraLight, Mifare Class 4K cards



IP66 Waterproof





Equip with a remote control can set the Wiegand output from 26~44, 56, 58bits

-40°C Low working temperature



Operating Voltage	9~24V DC
Frequency	125KHz & 13.56MHz
Card Type	125KHz - EM & Hid Card 13.56MHz - NXP Mifare, Mifare Plus, DesFire, Mifare Pro, Mifare UltraLight, Mifare Class 4K cards
Reading Distance	2~6 CM
Output Format	Wiegand 26~44, 56, 58 bits
Operating Temperature	-40 °C ~ 60 °C (-40 °F ~ 140 °F)
Standby Current	< 25mA
Operating Humidity	10%~98% RH
Index of Protection	IK10 & IP66



Dimensions	L105 x W49 x H21 (mm)
Net Weight	240g
Shipping Weight	270g

Product Size







Analog Camera, IP Camer Dome & Bullet Cameras Hidden Cameras 4K Cameras PTZ Cameras



4K Action Camera | Car Camer Battery Cameras WiFi Door Bells Hidden Cameras



Access PIN Reader Electromagnetic Lock Exit Button | Break Glass Video Door Intercom



PIXELS CONNECT PTE LTD

1013, Geylang East Ave 3, #01-144 Singapore 389728 pixelsconnect@gmail.com | www.pixelsconnect.com.sg | Tel:+65 6440 0023